



References

METHODOLOGY AND REVIEW

- Alberius P. Bone reactions to tantalum markers. A scanning electron microscopic study. *Acta Anat* (Basel) 1983;115(4):310-8.
- Aronson AS, Holst L, Selvik G. An instrument for insertion of radiopaque bone markers. *Radiology* 1974;113:733-4.
- Börlin N. *Model-design measurements in digital radiographs*. Thesis, Umeå, June 10, 2000.
- Börlin N. *High precision measurements in digital radiographs*. Licentiate Thesis. Umeå University. Department of Computing Science. Umeå Sweden. Uminf 97.10. ISSN-0348-0542
- Bragdon CR, Malchau H, Yuan X, Perinchieff R, Kärrholm J, Börlin N, Estok DM, Harris WH. Experimental assessment of precision and accuracy of radiostereometric analysis for the determination of polyethylene wear in a total hip replacement model. *J Orthop Res*. 2002 Jul;20(4):688-95.
- Börlin N, Thien T, Kärrholm J. The precision of radiostereometric measurements. Manual vs. digital measurements. *J Biomech*. 2002 Jan;35(1):69-79.
- Choo AM, Oxland TR. Improved RSA accuracy with DLT and balanced calibration marker distributions with an assessment of initial-calibration. *J Biomech*. 2003 Feb;36(2):259-64.
- Eldridge JDJ, Avramidis K, Lee M, Learmonth ID. Tantalum ball position after total hip arthroplasty. *J Bone Joint Surg* 1998;80-B: 414-16
- De Lange A, Huiskes R, Kauer JM. Measurement errors in roentgen-stereophotogrammetric joint-motion analysis. *J Biomechanics* 1990;23(3):259-69.
- Kärrholm J. Roentgen stereophotogrammetry. Review of orthopaedic applications. *Acta Orthop Scand* 1989;60(4):491-503
- Kärrholm J, Herberts P, Hultmark P, Malchau H, Nivbrant B, Thanner J. Radiostereometry of Hip Prostheses. Review of Methodology and Clinical Results. *Clin Orthop*; 344: 94-110.
- Leardini A, Cappozzo A, Catani F, et al.. Validation of a functional method for the estimation of hip joint centre location. *J Biomech* 1999 Jan;32(1):99-103
- Mjöberg B The theory of early loosening of hip prostheses. *Orthopedics* 1997 Dec;20(12):1169-75
- Nyström L. *Algorithms and Program system for Roentgen Stereophotogrammetric Analysis*. Licentiate of Philosophy. Institute of Information Processing. Department of Computer Science. University of Umeå. UMINF - 187.90. ISSN-0348-0542, 1990.
- Nyström L, Söderqvist I, Wedin P-Å. A note on some identification problems arising in roentgen stereophotogrammetric analysis. Technical Note. *J Biomechanics* 1994;27(10):1291-4.
- Ragnarsson JI. *Appendix in: Stability of Femoral Neck Fractures. Evaluation with Roentgen Stereophotogrammetric Analysis, Magnetic Resonance Imaging, Scintimetry, Radiography and Histopathology*. Thesis. Umeå 1991.

- Rune B, Sarnäs KV, Selvik G, Jacobsson S. Roentgen stereophotogrammetry in the study of craniofacial anomalies - the state of the art in Sweden. *Br J Orthod* 1986;13(3):151-7
- Ryd L, Yuan X, Löfgren H. Methods for determining the accuracy of radiostereometric analysis (RSA). *Acta Orthop Scand*. 2000 Aug;71(4):403-8.
- Selvik G. *Roentgen Stereophotogrammetry. A method for the study of the kinematics of the skeletal system*. Thesis, University of Lund, Lund, Sweden 1974. Reprint: *Acta Orthop Scand* 1989;Suppl 232.
- Selvik G. Roentgen-stereophotogrammetry in Lund, Sweden. In: *proc SPIE* 1978;166:184-90.
- Selvik G, Alberius P., Aronson A.S.: A roentgen stereophotogrammetric system. Construction, calibration and technical accuracy. *Acta Radiol (Diagn)* 1983;24:343-352.
- Selvik G. Roentgen-stereophotogrammetry in orthopaedics. In: *Biostereometrics '82*. (Ed. Herron R E). In: *Proc SPIE* 1983;361:178-85.
- Selvik G. Roentgen stereophotogrammetric analysis. *Acta Radiol* 1990;31(2):113-26.
- Soavi R, Motta M, Visani A. Variation of the spatial position computed by Roentgen Stereophotogrammetric Analysis (RSA) under non-standard conditions. *Med Eng Phys*. 1999 Oct;21(8):575-81.
- Söderqvist I. *Some Numerical Methods for Kinematical Analysis*. Licentiate of Philosophy. Institute of Information Processing. Department of Computer Science. University of Umeå. UMINF - 186.90. ISSN-0348-0542, 1990.
- Södeqvist I, Wedin P-Å. Determining the movements of the skeleton using well-configured markers. Technical note. *J Biomechanics* 1993;26:1473-77.
- Woltring HJ, Huiskes R, De Lange A. Finite centroid and helical axis estimation from noisy landmark measurements in the study of human joint kinematics. *J Biomechanics* 1985;18(5):379-89.
- Yuan X, Ryd L. Accuracy analysis for RSA: a computer simulation study on 3D marker reconstruction. *J Biomech*. 2000 Apr;33(4):493-8.
- Yuan X, Ryd L, Tanner KE, Lidgren L. Roentgen single-plane photogrammetric analysis (RSPA.) A new approach to the study of musculoskeletal movement. *J Bone Joint Surg Br*. 2002 Aug;84(6):908-14.
- Önsten I, Berzins A, Shott S, Sumner DR. Accuracy and precision of radiostereometric analysis in the measurement of THR femoral component translations: human and canine in vitro models. *J Orthop Res*. 2001 Nov;19(6):1162-7.
- Östgaard SE, Gottlieb L, Toksvig-Larsen S, Lebech A, Talbot A, Lund B. Roentgen stereophotogrammetric analysis using computer-based image-analysis. *J Biomech* 1997 Sep;30(9):993-5

RSA vs. SCINTIMETRY and radiographic methods

- Biedermann R, Stockl B, Krismer M, Mayrhofer P, Ornstein E, Franzen H. Evaluation of accuracy and precision of bone markers for the measurement of migration of hip prostheses. A comparison of conventional measurements. *J Bone Joint Surg Br* 2001 Jul;83(5):767-71

- Ilchmann T, Franzén H, Mjöberg B, Wingstrand H. Measurement accuracy in acetabular cup migration: A comparison of four radiographic methods versus roentgen stereophotogrammetric analysis. *J Arthroplasty* 1992;7(2):121-128.
- Leivseth G, Brinckmann P, Frobin W, Johnsson R, Stromqvist B. Assessment of sagittal plane segmental motion in the lumbar spine. A comparison between distortion-compensated and stereophotogrammetric roentgen analysis. *Spine* 1998 Dec 1;23(23):2648-55
- Malchau H, Kärrholm J, Wang YX, Herberts P. Accuracy of migration analysis in total hip arthroplasty. Digitised and conventional radiography, compared to radiostereometry in 51 patients. *Acta Orthop Scand* 1995;66(5):418-24.
- Mjöberg B, Brismar J, Hansson L I, Pettersson H, Selvik G, Önerfält R. Definition of endoprosthetic loosening. Comparison of arthrography, scintigraphy and roentgen-stereophotogrammetry in prosthetic hips. *Acta Orthop Scand* 1985;56(6):469-73.
- Nilsson KG, Hietala S-O, Björnebrink J, Kärrholm J. Scintimetry after total knee arthroplasty: Prospective 2-year study of 18 cases of arthrosis and 15 cases of rheumatoid arthritis. *Acta Orthop Scand* 1992;63(2):159-165.
- Ragnarsson JI, Eliasson P, Kärrholm J, Lundström B. The accuracy of measurements of femoral neck fracture; Conventional radiography versus roentgen stereophotogrammetric analysis. *Acta Orthop Scand*. 1992;63(2):152-156.
- Ryd L, Gustafson T, Lindstrand A. Tc99-diphosphonate scintimetry in successful knee arthroplasty and its relation to micromotion. *Clin Orthop* 1993;b287:61-67

RSA, Bone Mineral density and wear products

- Kärrholm J, Frech W, Nilsson KG, Snorrason F. Increased Metal release from Cemented femoral components made of titanium alloy. Evaluation of 19 Hip Prostheses Followed with Stereoradiography. *Acta Othop Scand* . 1994;65(6):599-604
- Kärrholm J, Frech W, Nivbrant B, Malchau H, Snorrason F, Herberts P. Fixation and metal release from the Tifit femoral stem prosthesis. 5 year follow-up of 64 cases. *Acta Orthop Scand*. 1998;69(4):369-378
- Kärrholm J, Hultmark P, Carlsson L, Malchau H. Subsidence of a non-polished stem in revisions of the hip using impaction allograft. Evaluation with radiostereometry and dual energy x-ray absorptiometry. *Journal of Bone and Joint Surgery*, 1999;81-B(1):135-142
- Li MG, Nilsson KG. The effect of the preoperative bone quality on the fixation of the tibial component in total knee arthroplasty. *J Arthroplasty*. 2000 Sep;15(6):744-53.
- Li MG, Nilsson KG. No relationship between postoperative changes in bone density at the proximal tibia and the migration of the tibial component 2 years after total knee arthroplasty. *J Arthroplasty*. 2001 Oct;16(7):893-900.
- Nivbrant B, Karlsson K, Kärrholm J. Cytokine levels in synovial fluid from hips with well-functioning or loose prostheses. *J Bone Joint Surg Br*. 1999 Jan;S 1(1): 163-6.
- Regné LR, Carlsson LV, Kärrholm JN, Hansson TH, Herberts PG, Swanpalmer J. Bone mineral and migratory patterns in uncemented total knee arthroplasties: a randomized 5-year follow-up study of 38 knees. *Acta Orthop Scand*. 1999 Dec;70(6):603-8.

RSA VS. HISTOLOGY

- Aronson A S, Hansson L I, Selvik G. Roentgen-stereophotogrammetry for determination of bone growth. Comparison with the tetracycline method. *Acta Radiol (Diagn) (Stockh)* 1977;18(1):87-93.
- Nilsson KG, Kärrholm J, Linder L. Micromotion of the femoral component in Miller-Galante knee arthroplasty. Cemented vs. cementless fixation. *J Orthop Res.* 1995;13:347-56
- Nilsson KG, Cajander S, Kärrholm J. Early failure of hydroxyapatite-coating in total hip arthroplasty. Case report. *Acta Orthop Scand.* 1994;65(2):212-14. (see also below)
- Ragnarsson JI, Boquist L, Ekelund L, Kärrholm J. Instability and femoral head vitality in fractures of the femoral neck. Roentgen stereophotogrammetric analysis and low field magnetic resonance imaging with correlation to histopathology. *Clin Orthop* In press.
- Ryd L, Linder L. On the correlation between micromotion and histology of the bone-cement interface. Report of three cases of knee arthroplasty followed by roentgen stereophotogrammetric analysis. *J Arthroplasty* 1989;4(4):303-9.
- Ryd L, Hansson U, Blunn G, Lindstrand A, Toksvig-Larsen. Failure of partial cementation to achieve implant stability and bone ingrowth: a long-term roentgen stereophotogrammetric study of tibial components. *J Orthop Res* 1999 May;17(3):311-20

RSA vs. Gait analysis

- Hilding MB, Ryd L, Toksvig-Larsen S, Mann A, Stenstrom A. Gait affects tibial component fixation. *J Arthroplasty.* 1999 Aug; 14(5):589-93.

CRANIAL AND CRANIO-FACIAL GROWTH

- Alberius P. Pattern of membranous and chondral bone growth. A roentgen stereophotogrammetric study in the rabbit. *Acta Anat* 1983;116:37-45
- Alberius P, Malmberg M. Body weight gain as related to craniofacial and calvarial volumetric changes in growing rabbits. *Anat Rec* 1989;223(3):322-8.
- Rune B, Selvik G, Kreiborg S, Sarnäs K V, Kågström E. Motion of bones and volume changes in the neurocranium after craniectomy in Crouzon's disease. A roentgen-stereophotogrammetric study. *J Neurosurg* 1979;50(4):494-8.
- Rune B. *Roentgen-stereophotogrammetry and metallic implants in the study of craniofacial anomalies*. Thesis. University of Lund, Malmö, Sweden 1980
- Rune B, Sarnäs KV, Selvik G, Jacobsson S. Movement of the cleft maxilla in infants relative to the frontal bone. A roentgen stereophotogrammetric study with the aid of metal implants. *Cleft Palate J* 1980;17(2):155-74
- Rune B, Sarnäs K V, Selvik G, Jacobsson S. Roentgen-stereophotogrammetry in the study of craniofacial anomalies-the state of the art in Sweden. *Br J Orthod* 1986;13(3):151-7.
- Rune B, Sarnäs KV, Aberg M. Mandibulofacial dysostosis--variability in facial morphology and growth: a long-term profile roentgenographic and roentgen stereometric analysis of three patients. *Cleft Palate Craniofac J* 1999 Mar;36(2):110-22

Sarnas KV, Rune B, Aberg M. Facial growth in a cleft palate patient treated with the Herbst appliance: a long-term profile roentgenographic and roentgen stereometric analysis of profile changes and displacement of the jaws. *Cleft Palate Craniofac J*. 2000 Jan;37(1):71-7.

Selvik G, Alberius P, Fahlman M. Roentgen-stereophotogrammetry for analysis of cranial growth. *Am J Orthod* 1986;89(4):315-25.

GROWTH OF DIAPHYSEAL BONES

Bylander B, Aronson S, Egund N, Hansson L I, Selvik G. Growth disturbance after physial injury of distal femur and proximal tibia studied by roentgen-stereophotogrammetry. *Arch Orthop Trauma Surg* 1981;98(3):225-35.

Bylander B, Selvik G, Hansson L I, Aronson S. A roentgen-stereophotogrammetric analysis of growth arrest by stapling. *J Pediatr Orthop* 1981;181):81-90.

Bylander B, Hansson L I, Selvik G. Pattern of growth retardation after Blount stapling: A roentgen-stereophotogrammetric analysis. *J Pediatr Orthop* 1983;3(1):63-72.

Bylander B, Hansson LI, Kärrholm J, Naversten Y. Scintimetric evaluation of Post-traumatic and postoperative growth disturbance using ⁹⁹Tc^mMDP. *Acta Radiol Diagn* 1983;24:85-96

Bylander B, Häggglund G, Selvik G. Stapling for tibial-growth deformity. A case report on roentgen stereophotogrammetric analysis. *Acta Orthop Scand*. 1989 Aug;60(4):487-90.

Bylander B, Häggglund G, Selvik G. Dynamics of growth retardation after epiphysiodesis: a roentgen stereophotogrammetric analysis. *Orthopedics*. 1993 Jun;16(6):710-2.

Hildebrand H, Aronson S, Kullendorff CM, Selvik G. Roentgen stereophotogrammetric short-term analysis of growth rate in children operated for Crohn's disease. *Acta Paediatr Scand*. 1991 Oct;80(10):917-23.

Hildebrand H, Aronson S, Selvik G. Growth as a parameter of inflammation in Crohn's disease, using roentgen stereophotogrammetric analysis. *Acta Paediatr*. 1994 Oct;83(10):1070-5.

Häggglund G, Bylander B, Hansson LI, Kärrholm J, Selvik G, Svensson K. Longitudinal growth of the distal fibula in children with slipped capital femoral epiphysis. *J Pediatr Orthop* 1986;6:274-7

Häggglund G, Bylander B, Hansson L I, Selvik G. Bone growth after fixing slipped femoral epiphyses: brief report. *J Bone Joint Surg (Br)* 1988;70(5):845-6.

Kärrholm J, Hansson LI, Selvik G. Roentgen stereo-photogrammetric analysis of growth pattern after supination-eversion ankle fractures in children. *J Pediatr Orthop* 1982;2:25-37

Kärrholm J, Hansson LI, Selvik G. Roentgen stereo-photogrammetric analysis of growth pattern after supination-adduction ankle injuries in children. *J Pediatr Orthop* 1982;2:271-9

Kärrholm J, Hansson LI, Selvik G. Roentgen stereo-photogrammetric analysis of growth pattern after pronation ankle injuries in children. *Acta Orthop Scand* 1982;53:1001-11

Kärrholm J, Hansson LI, Laurin S, Selvik G. Post-traumatic growth disturbance of the ankle treated by the Langenskiöld procedure. Evaluation by radiology, roentgen stereophotogrammetry, scintimetry and histology. Case report. *Acta Orthop Scand* 1983;54:721-9

Kärrholm J, Hansson LI, Laurin S, Selvik G. Roentgen stereophotogrammetric study of fracture through tibial shaft ankle and heel. *Arch Orthop Traumat Surg* 1982;99:253-258.

- Kärrholm J, Hansson LI, Svensson, K. Prediction of growth pattern after ankle fractures in children. *J Pediatr Orthop* 1983;3:319-325
- Kärrholm J, Hansson LI, Selvik G. Changes in tibiofibular relationships due to growth disturbances after ankle fractures in children. *J Bone Joint Surg (Am)* 1984;66:1198-210
- Kärrholm J, Hansson LI, Selvik G. Longitudinal growth rate of the distal tibia and fibula in children. *Clin Orthop* 1984;191:121-8

FRACTURES

- Ahl T, Dalén N, Holmberg S, Selvik G. Early weight bearing of malleolar fractures. *Acta Orthop Scand* 1986;57(6):526-9.
- Ahl T, Dalén N, Holmberg S, Selvik G. Early weight-bearing of displaced ankle fractures. *Acta Orthop Scand*. 1987;58:535-538.
- Ahl T, Dalén N, Holmberg S, Selvik G. Early weight bearing of displaced ankle fractures. *Acta Orthop Scand* 1987;58(5):535-8.
- Ebbinghaus S, Mjöberg B. Posterior angulation in trochanteric fractures detected with roentgen stereophotogrammetry. *Ups J Med Sci* 1991;96(3):235-7.
- Kopylov P, Aspenberg P, Yuan X, Ryd L. Radiostereometric analysis of distal radial fracture displacement during treatment: a randomized study comparing Norian SRS and external fixation in 23 patients. *Acta Orthop Scand*. 2001 Feb;72(1):57-61.
- Ragnarsson JI, Hansson LI, Kärrholm J. Stability of femoral neck fractures. A postoperative roentgen stereophotogrammetric analysis. *Acta Orthop Scand* 1989;60(3):283-287
- Ragnarsson JI, Kärrholm J. Stability of femoral neck fracture: Roentgen stereophotogrammetry of 29 hook-pinned fractures. *Acta Orthop Scand* 1991;62(3):201-207
- Ragnarsson JI, Kärrholm J. Factors influencing postoperative movements in displaced femoral neck fractures: Evaluation by conventional and stereoradiography (RSA). *J Orthop Trauma* 1992;6:152-8.
- Ragnarsson JI, Eliasson P, Kärrholm J, Lundström B. The accuracy of measurements of femoral neck fracture; Conventional radiography versus roentgen stereophotogrammetric analysis. *Acta Orthop Scand*. 1992;63(2):152-156.
- Ragnarsson JI, Kärrholm J. Factors influencing postoperative movements in displaced femoral neck fractures: Evaluation by conventional and stereoradiography (RSA). *J Orthop Trauma*. 1992;6(2):152-8.
- Ragnarsson JI, Boquist L, Ekelund L, Kärrholm J. Instability and femoral head vitality in fractures of the femoral neck. Roentgen stereophotogrammetric analysis and low field magnetic resonance imaging with correlation to histopathology. *Clin Orthop* 1993;287:30-
- Ryd L, Toksvig-Larsen. Stability of the elevated fragment in tibial plateau fractures. A roentgen stereophotogrammetric study of postoperative healing. *Int Orthopedics* 1994;18:131-4.

HEALING OF OSTEOTOMIES

- Hansson L I, Olsson T H, Selvik G, Sundén G. A roentgen-stereophotogrammetric investigation of innominate osteotomy (Salter). *Acta Orthop Scand* 1978;49(1):68-72.

- Magyar O, Toksvig-Larsen S, Lindstrand A. Changes in osseous correction after proximal tibial osteotomy: radiostereometry of closed- and open-wedge osteotomy in 33 patients. *Acta Orthop Scand*. 1999 Oct;70(5):473-7.
- Tjörnstrand B, Selvik G, Egund N, Lindstrand A. Roentgen-stereophotogrammetry in high tibial osteotomy for gonarthrosis. *Arch Orthop Trauma Surg* 1981;99(2):73-81.
- Resch S, Stenström A, Ryd L, Xunhua Yang. Measurement of the forefoot with roentgen stereophotogrammetry in hallux valgus surgery. *Foot & Ankle* 1995;16(5):271-276.

JOINT KINEMATICS

Foot and Ankle

- Lundberg A. Kinematics of the ankle and foot. In vivo roentgen stereophotogrammetry. *Acta Orthop Scand Suppl* 1989;233:1-24.
- Lundberg A, Svensson O K, Németh G, Selvik G. The axis of rotation of the ankle joint. *J Bone Joint Surg (Br)* 1989;7(1):94-9.

Knee

- Blankevoort L, Huijskes R, De Lange A. Helical axes along the envelope of passive knee joint motion. *Trans. Orthop. Res. New Orleans* 1986:410.
- Blankevoort L, Huijskes R, De Lange A. The envelope of passive knee joint motion. *J Biomechanics* 1988; 21:705-20.
- Brandsson S, Karlsson J, Eriksson BI, Kärholm J. Kinematics after tear in the anterior cruciate ligament: dynamic bilateral radiostereometric studies in 11 patients. *Acta Orthop Scand*. 2001 Aug;72(4):372-8.
- Brandsson S, Karlsson J, Sward L, Kartus J, Eriksson BI, Kärholm J. Kinematics and laxity of the knee joint after anterior cruciate ligament reconstruction: pre- and postoperative radiostereometric studies. *Am J Sports Med*. 2002 May-Jun;30(3):361-7.
- van Dijk R, Huijskes R, Selvik G. Roentgen-stereophotogrammetric methods for the evaluation of the three-dimensional kinematic behaviour and cruciate ligament length patterns of the human knee joint. *J Biomech* 1979;12(9):727-31.
- Eberhardt K B, Selvik G. Some aspects of knee joint kinematics in rheumatoid arthritis as studied with roentgen-stereophotogrammetry. *Clin Rheumatol* 1986;5(2):201-9.
- Gottholdson Lawin P, Rye-Danjensen G, Skarström M. *Tredimensionell datorstudie av knäledsrörelsemönster*. Tekniska högskolan i Lund, Lund, Sweden. Report TVSM-5045, ISSN 0281-6679, 1992.
- Jonsson H, Kärholm J, Elmqvist LG. Kinematics of active knee extension after tear of the anterior cruciate ligament. *Am J Sports Med* 1989;17(6):796-802
- van Kampen A, Huijskes R. The three-dimensional tracking pattern of the human patella. *J Orthop Res* 1990;8(3):372-82.
- Kärholm J, Selvik G, Elmqvist LG. Active knee motion after cruciate ligament rupture. Stereoradiography. *Acta Orthop Scand* 1988;59(2):158-64

Kärrholm J, Jonsson H, Nilsson KG, Söderqvist I. Kinematics of successful knee prostheses during weight-bearing. *Knee Surgery Sports Traumatology Arthroscopy*. 1994;2:50-9.

Kärrholm J, Brandsson S, Freeman MA. Tibiofemoral movement 4: changes of axial tibial rotation caused by forced rotation at the weight-bearing knee studied by RSA. *J Bone Joint Surg Br*. 2000 Nov;82(8):1201-3.

Nilsson KG, Kärrholm J, Ekelund L. Active knee motion in total knee arthroplasty. A roentgen stereophotogrammetric analysis of the kinematics of the Tricon-M knee prosthesis. *Clin Orthop* 1990;256:147-161.

Nilsson KG, Kärrholm J, Gadegaard P. Abnormal kinematics of the artificial knee. Roentgen stereophotogrammetric analysis of 10 Miller-Galante and 5 New Jersey LCS knees. *Acta Orthop Scand* 1991;62(5):440-446.

Uvehammer J, Kärrholm J, Brandsson S, Herberts P, Carlsson L, Karlsson J, Regner L. In vivo kinematics of total knee arthroplasty: flat compared with concave tibial joint surface. *J Orthop Res* 2000 Nov;18(6):856-64

Uvehammer J. Knee joint kinematics, fixation and function related to joint area design in total knee arthroplasty. *Acta Orthop Scand Suppl*. 2001 Feb;72(299):1-52.

Uvehammer J, Kärrholm J, Brandsson S. In vivo kinematics of total knee arthroplasty. Concave versus posterior-stabilised tibial joint surface. *J Bone Joint Surg Br*. 2000 May;82(4):499-505.

Proximal tibiofibular joint

Soavi R, Girolami M, Loreti I, Bragonzoni L, Monti C, Visani A, Marcacci M. The mobility of the proximal tibio-fibular joint. A Roentgen Stereophotogrammetric Analysis on six cadaver specimens. *Foot Ankle Int*. 2000 Apr;21(4):336-42.

Wrist joint

de Lange A, Kauer J M, Huiskes R. Kinematic behaviour of the human wrist joint: a roentgen-stereophotogrammetric analysis. *J Orthop Res* 1985;3(1):56-64.

JOINT STABILITY

Ankle

Ahl T, Dalén N, Lundberg A, Selvik G. Mobility of the ankle mortise. A roentgen-stereophotogrammetric analysis. *Acta Orthop Scand* 1987;58(4):401-2.

Kärrholm J, Hansson LI, Selvik G. Mobility of the lateral malleolus. A roentgen stereophotogrammetric analysis. *Acta Orthop Scand* 1985;56(6):479-83

Löfvenberg R, Kärrholm J, Selvik G, Hansson LI, Ahlgren O. Chronic lateral instability of the talocrural joint. *Acta Orthop Scand* 1989;60(1):34-9

Löfvenberg R, Kärrholm J, Selvik G. Fibular mobility in chronic lateral instability of the ankle. *J Foot & Ankle* 1990;11(1):22-29.

Löfvenberg R, Kärrholm J, Lundberg A. Subtalar stability in chronic lateral instability of the ankle. *The Foot*. 1992;2:39-43.

Löfvenberg R, Kärrholm J. The influence of an ankle orthosis on the talar and calcaneal motions in chronic lateral instability of the ankle. *Am J Sports Med.* 1993;21(2):224-30.

Löfvenberg R, Kärrholm J, Lundberg A. Subtalar stability in chronic lateral instability of the ankle. *The Foot.* 1992;2:39-43.

Löfvenberg R, Kärrholm J, Ahlgren O. Ankle stability in patients operated for chronic lateral instability. Five year follow-up study using roentgen stereophotogrammetric analysis. *Acta Orthop Scand.* 1994;65(4):401-407.

Knee

Almqvist PO, Arnbjörnsson A, Zätterstrom R, Ryd L, Ekdahl C, Friden T. Evaluation of an external device measuring knee joint rotation: an in vivo study with simultaneous Roentgen stereometric analysis. *J Orthop Res.* 2002 May;20(3):427-32.

Edixhoven P H, Huiskes R, deGraaf R, vanRens Th J G, Sloot T J. Accuracy and reproducibility of instrumented knee-drawer tests. *J Orthop Res.* 1987;5:378-387.

Fleming BC, Peura GD, Abate JA, Beynonn BD. Accuracy and repeatability of Roentgen stereophotogrammetric analysis (RSA) for measuring knee laxity in longitudinal studies. *J Biomech.* 2001 Oct;34(10):1355-9.

Fridén T, Ryd L, Lindstrand A. Laxity and graft fixation after reconstruction of the anterior cruciate ligament. A roentgen stereophotogrammetric analysis of 11 patients. *Acta Orthop Scand* 1992;63(1):80-4.

Fridén T, Sommerlat C, Egund N, Gillquist J, Ryd L, Lindstrand A. Measured laxity of the knee. Measurements of sagittal laxity compared in 11 cases. *Acta Orthop Scand* 1992;63(6):593-598.

Jonsson H, Kärrholm J. Brace effects on the unstable knee in 21 cases. A roentgen stereophotogrammetric comparison of three designs. *Acta Orthop Scand* 1990;(61):313-318

Jonsson H, Elmqvist L-G, Kärrholm J, Fugl-Meyer A. Lengthening of anterior cruciate ligament graft. Roentgen stereophotogrammetry of 32 cases 2 years after repair. *Acta Orthop Scand.* 1992;63(6):587-592.

Jonsson H, Kärrholm J, Elmqvist L-G. Measurement of knee laxity. Comparison between KT-1000 and roentgen stereophotogrammetry. *Acta Orthop Scand.* 1993;64:567-70.

Jonsson H, Kärrholm J. Three-dimensional knee joint movements during a step-up. Evaluation after anterior cruciate ligament rupture. *J Orthop Res.* 1994;12:769-79

Jonsson H, Elmqvist LG, Kärrholm J, Tegner Y. Over-the top or tunnel reconstruction of the anterior cruciate ligament. A prospective randomised study of 54 cases. *J Bone Joint Surg (Br)* 1994;76-B:82-7.

Jonsson H, Kärrholm J. Three-dimensional knee kinematics and stability in patients with a posterior cruciate ligament tear. *J Orthop Res.* *J Orthop. Res.* 1999;17(2):185-91ax

Jorn LP, Fridén T, Ryd L, Lindstrand A. Simultaneous measurements of sagittal knee laxity with an external device and radiostereometric analysis. *J Bone Joint Surg (Br)* 1998;80-B:169-172.

Kärrholm J, Selvik G, Elmqvist L-G, Hansson LI, Jonsson H. Three-dimensional instability of the anterior cruciate deficient knee. *J Bone Joint Surg (Br)* 1988;70;777-83

Kärrholm J, Elmqvist LG, Hansson LI, Selvik G. Chronic anterolateral instability of the knee. A roentgen stereophotogrammetric evaluation. *Am J Sports Med* 1989;17(4):555-563.

FIXATION OF PROSTHESES AND WEAR*

Hip

- Baldursson H, Egund N, Hansson L I, Selvik G. Instability and wear of total hip prostheses determined with roentgen-stereophotogrammetry. *Arch Orthop Trauma Surg* 1979;95(4):257-63.
- Baldursson H, Hansson L I, Olsson T H, Selvik G. Migration of the acetabular socket after total hip replacement determined by roentgen-stereophotogrammetry. *Acta Orthop Scand* 1980;51(3):535-40.
- Borssén B, Snorrason F, Önsten I, Kärrholm J. Revision hip arthroplasty using cemented acetabular cup and allografts. A roentgen stereophotogrammetric analysis (RSA). SOF Trollhättan 1991. *Acta Orthop Scand* 1991;62(Suppl 246):9.
- Franzén H, Lidgren L, Toksvig-Larsen S, Önnarfält R. Early migration of femoral components revised with impacted cancellous allografts and cement. A preliminary report of five cases. *J Bone Joint Surg (Br)* 1995;77(6):862-864.
- Franzén H, Mjöberg B. Wear and loosening of the hip prosthesis. A roentgen stereophotogrammetric 3-year study of 14 cases. *Acta Orthop Scand* 1990;61(6):499-501.
- Franzén H, Mjöberg B., Önnarfält. Early migration of acetabular components revised with cement: A roentgen stereophotogrammetric study. *Clin Orthop* 1993; 287:131-4.
- Huiskes R, Verdonschot N, Nivbrant B. Migration stem shape and surface finish in cemented total hip arthroplasty. *Clin Orthop*. 1998 Oct;(355):103-12.
- Kärrholm J, Malchau H, Snorrason F, Herberts P. Femoral component fixation in total hip arthroplasty. Evaluation of contemporary cementing technique, porous and hydroxyapatite coatings using roentgen stereophotogrammetric analysis. *Trans. 38th Annual Meeting of Orthopaedic Research Society*. p.291 Washington 1992.
- Kärrholm J, Snorrason F. Migration of porous coated acetabular prostheses fixed with screws. *J Orthop Res*. 1992;10:826-835.
- Kärrholm J, Snorrason F. Subsidence, tip and hump micromovements of non-coted ribbed femoral prostheses. *Clin Orthop* 1993;287:50-60.
- Kärrholm J, Borssén B, Löwenhielm G, Snorrason F. Do early micromotions of femoral stem prostheses matter? Stereoradiographic 5-8 year follow-up of 84 cemented hip prostheses. *J Bone Joint Surg (Br)* 1994;76-B(6):912-917.
- Kärrholm J, Malchau H, Snorrason F, Herberts P. Micromotion of cemented, hydroxyapatite and porous coated femoral stems. Randomised study using roentgen stereophotogrammetric analysis. *J Bone Joint Surg (Am)* 1994;76-A(11):1691-1705.
- Kärrholm J, Anderberg C, Snorrason F, Thanner J, Langeland N, Malchau H, Herberts P. Evaluation of a femoral stem with reduced stiffness. A randomized study with use of radiostereometry and bone densitometry. *J Bone Joint Surg Am*. 2002 Sep;84-A(9):1651-8.

- Lawrie David F M, Downing Martin R, Ashcroft G Patrick, Gibson Peter H. Insertion of tantalum beads in RSA of the hip. Variations in incidence of extra-osseous beads with insertion site. *Acta Orthop Scand* 2003;74(4):404-407.
- Mjöberg B, Hansson L I, Selvik G. Instability, migration and laxity of total hip prostheses. A roentgen stereophotogrammetric study. *Acta Orthop Scand*. 1984;55:141-145.
- Mjöberg B. Loosening of the cemented hip prosthesis. The importance of heat injury. *Acta Orthop Scand* 1986;57(Suppl 221):1-40.
- Mjöberg B. Fixation and loosening of hip prostheses. A review: see comments. *Acta Orthop Scand* 1991;62(5):500-8.
- Mogensen B, Ekelund L, Hansson L I, Lidgren L, Selvik G. Surface replacement of the hip in chronic arthritis. A clinical, radiographic and roentgen-stereophotogrammetric evaluation. *Acta Orthop Scand* 1982;53(6):929-36.
- Nilsson KG, Kärrholm J. RSA in the assessment of aseptic loosening. Editorial. *J Bone Joint Surg (Br)*. 1996;78-B(1):1-3
- Nistor L, Blaha JD, Kjellström U, Selvik G. In vivo measurements of relative motion between an uncemented femoral total hip component and the femur by roentgen stereophotogrammetric analysis. *Clin Orthop* 1991;269:220-227
- Nistor L, Blaha D, Källström U, Selvik G. Roentgen-stereophotogrammetric analysis RSA of the LMPCH prosthesis. *Acta Orthop Scand* 1987;58(4):445.
- Nivbrant B, Kärrholm J, Önsten I, Carlsson Å, Snorrason F. Migration of porous press-fit cups in hip revision arthroplasty. A radiostereometric 2 year follow up study of 60 hips. *J Arthroplasty*, 1996;11(4):390-396.
- Nivbrant B, Kärrholm J. Migration and wear of hydroxyapatite-coated press-fit cups in revision hip arthroplasty. A radiostereometric study. *J Arthroplasty* 1997;12(8):904-912.
- Nivbrant B, Kärrholm J, Söderlund P. Increased migration of the SHP prosthesis: radiostereometric comparison with the Lubinus SP2 design in 40 cases. *Acta Orthop Scand*. 1999 Dec;70(6):569-77.
- Nivbrant B, Kärrholm J, Röhrl S, Hassander H, Wesslen B. Bone cement with reduced proportion of monomer in total hip arthroplasty: preclinical evaluation and randomized study of 47 cases with 5 years' follow-up. *Acta Orthop Scand*. 2001 Dec;72(6):572-84.
- Ornstein E, Franzen H, Johnsson R, Sundberg M. Radiostereometric analysis in hip revision surgery--optimal time for index examination: 6 patients revised with impacted allografts and cement followed weekly for 6 weeks. *Acta Orthop Scand*. 2000 Aug;71(4):360-4.
- Ornstein E, Atroshi I, Franzen H, Johnsson R, Sandquist P, Sundberg M. Results of hip revision using the Exeter stem, impacted allograft bone, and cement. *Clin Orthop*. 2001 Aug;(389):126-33.
- Ornstein E. Hip revisions with impacted morselized allograft bone and cement. Patient outcome, prosthetic fixation and risks. *Acta Orthop Scand Suppl*. 2002 Dec;73(306):1-66. No abstract available.
- Ornstein E, Franzen H, Johnsson R, Stefansdottir A, Sundberg M, Tagil M. Hip revision with impacted morselized allografts: unrestricted weight-bearing and restricted weight-bearing have similar effect on migration A radiostereometry analysis. *Arch Orthop Trauma Surg*. 2003 Jul;123(6):261-7

- Ornstein E, Atroshi I, Franzen H, Johnsson R, Sandquist P, Sundberg M. Early complications after one hundred and forty-four consecutive hip revisions with impacted morselized allograft bone and cement. *J Bone Joint Surg Am.* 2002 Aug;84-A(8):1323-8.
- Snorrason F, Kärrholm J. Primary migration of fully-threaded acetabular prostheses. *J Bone Joint Surg (Br)* 1990;72(4):647-652.
- Snorrason F, Kärrholm J. Primary stability of revision total hip arthroplasty: A roentgen stereophotogrammetric analysis. *J Arthroplasty* 1990;5:217-229.
- Snorrason F, Kärrholm J. Roentgen stereophotogrammetric analysis (RSA) of acetabular prostheses. *Scientific Exhibit. American Academy of Orthopaedic Surgeons. 57th Annual Meeting.* New Orleans, 1990.
- Snorrason F, Kärrholm J, Holmgren C. Fixation of cemented acetabular prostheses. *J Arthroplasty* 1993;8:83-93.
- Söballe K, Toksvig-Larsen S, Gelineck et al. Migration of hydroxyapatite coated femoral prostheses. A roentgen stereophotogrammetric study. *J Bone Joint Surg (Br)* 1993;75-B:681-7.
- Thanner J, Freij-Larsson C, Kärrholm J, Malchau H, Wesslén B. Evaluation of Boneloc®. Clinical and mechanical properties, and a randomized clinical study of 30 total hip arthroplasties. *Acta Orthop Scand* 1995;66(3):207-214.
- Thanner J, Kärrholm J, Malchau H, Wallinder L, Herberts P. Migration of Press-fit Cups Fixed with Poly-L-Lactic Acid or Titanium Screws: A Randomized Study using Radiostereometry. *J Orthop Res.* 1996;14:895-900
- Thanner J, Kärrholm J, Herberts P, Malchau H. Porous cups with and without hydroxylapatite-tricalcium phosphate coating: 23 matched pairs evaluated with radiostereometry. *J Arthroplasty* 1999 Apr;14(3):266-71
- Thanner J, Kärrholm J, Herberts P, Malchau H. Hydroxyapatite and tricalcium phosphate-coated cups with and without screw fixation: a randomized study of 64 hips. *J Arthroplasty.* 2000 Jun;15(4):405-12.
- Thanner J. The acetabular component in total hip arthroplasty. Evaluation of different fixation principles. *Acta Orthop Scand Suppl.* 1999 Aug;286:1-41.
- Wykman A, Selvik G, Goldie I. Subsidence of the femoral component in the noncemented total hip. A roentgen-stereophotogrammetric analysis. *Acta Orthop Scand* 1988;59(6):635-7.
- Wykman A, Lundberg A. Subsidence of porous coated noncemented femoral components in total hip arthroplasty: A roentgen stereophotogrammetric analysis. *J Arthroplasty* 1992;7(2):197-200
- Önsten I, Snorrason F, Borssén B, Kärrholm J, Sandzén L. Uncemented press-fit acetabular prostheses in revision hip arthroplasty. A roentgen stereophotogrammetric analysis (RSA). SOF Trollhättan 1991. *Acta Orthop Scand* 1991;62(Suppl 246):8, 1991
- Önsten I, Carlsson Å, Ohlin A, Nilsson JÅ. Migration of acetabular component inserted with and without cement in one stage bilateral hip arthroplasty. *J Bone Joint Surg* 1994;76-A:185-194.
- Önsten I, Bengnér U, Besjakov J, . Socket migration after Charnley arthroplasty in rheumatoid arthritis and osteoarthritis. A roentgen stereophotogrammetric study. *J Bone Joint Surg* 1993;75-B:677-80.

- Önsten I, Åkesson K, Besjakov J, Obrant KJ. Migration of the Charnley stem in rheumatoid arthritis and osteoarthritis. *J Bone Joint Surg* 1995;77-B(1):18-22
- Önsten I, Carlsson Å. Cemented vs. uncemented socket in hip arthroplasty. A roentgen stereophotogrammetric study of 60 randomized hips followed for 2 years. *Acta Orthop Scand* 1994;65:517-21
- *Önsten I, Carlsson Å, Besjakov J. Wear in uncemented porous and cemented polyethylene sockets. *J Bone Joint Surg (Br)* 1998;80-B:345-350

Knee

- Adalberth G, Nilsson KG, Byström S, Kolstad K, Mallmin H, Milbrink J. Stability assessment of a moderately conforming all-polyethylene tibial component in total knee arthroplasty: a prospective RSA study with 2 years of follow-up of the Kinemax Plus design. *Am J Knee Surg.* 1999 Fall;12(4):233-40.
- Adalberth G, Nilsson KG, Byström S, Kolstad K, Milbrink J. Low-conforming all-polyethylene tibial component not inferior to metal-backed component in cemented total knee arthroplasty: prospective, randomised radiostereometric analysis study of the AGC total knee prosthesis. *J Arthroplasty.* 2000 Sep;15(6):783-92.
- Adalberth G, Nilsson KG, Kärrholm J, Hassander H. Fixation of the tibial component using CMW-1 or Palacos bone cement with gentamicin: similar outcome in a randomized radiostereometric study of 51 total knee arthroplasties. *Acta Orthop Scand.* 2002 Oct;73(5):531-8.
- Adalberth G, Nilsson KG, Byström S, Kolstad K, Milbrink J. All-polyethylene versus metal-backed and stemmed tibial components in cemented total knee arthroplasty. A prospective, randomised RSA study. *J Bone Joint Surg Br.* 2001 Aug;83(6):825-31.
- Albrektsson BEJ, Ryd L, Carlsson LV, Freeman MAR m fl. The effect of a stem on the tibial component of knee arthroplasty. A roentgen stereophotogrammetric study of uncemented tibial components in the Freeman-Samuelson knee arthroplasty. *J Bone Joint Surg* 1990;72-B:252-8.
- Albrektsson B E, Carlsson L V, Freeman M A, Herberts P, Ryd L. Proximally cemented versus uncemented Freeman-Samuelson knee arthroplasty. A prospective randomised study. *J Bone Joint Surg* 1992;74(2):233-8.
- Hylldahl HC, Regner L, Carlsson L, Kärrholm J, Weidenhielm L. Does metal backing improve fixation of tibial component in unicondylar knee arthroplasty? A randomized radiostereometric analysis. *J Arthroplasty* 2001 Feb;16(2):174-9
- Hilding M, Lanshammar H, Ryd L. Knee joint load and tibial component loosening. Roentgen stereophotogrammetry and gait analysis in 45 osteoarthritis patients before and after total knee arthroplasty. *J Bone Joint Surg, 1996 ;78-B(1):66-73.*
- Hilding M, Yuan X, Ryd L. The stability of three different cementless tibial components. A randomized radiostereometric study in 45 knee arthroplasty patients. *Acta Orthop Scand,* 1995;66(1):21-27.
- Hilding M, Ryd L, Toksvig-Larsen S, Aspenberg P. Clodronate prevents prosthetic migration: a randomized radiostereometric study of 50 total knee patients. *Acta Orthop Scand.* 2000 Dec;71(6):553-7.
- Nilsson K G, Kärrholm J, Ekelund L, Magnusson P. Evaluation of micromotion in cemented vs uncemented knee arthroplasty in osteoarthritis and rheumatoid arthritis. Randomised study using roentgen stereophotogrammetric analysis. *J Arthroplasty* 1991;6(3):265-278
- Nilsson KG, Kärrholm J. Increased varus-valgus tilt of screw-fixated knee prostheses. Roentgen stereophotogrammetric study of cemented vs. cementless tibial components. *J Arthroplasty.* 1993;8(5):529-540.
- Nilsson KG, Brobäck LG, Kärrholm J. Does a stem on the tibial component improve fixation of uncemented Freeman-Samuelson knee prosthesis. SOF Sundsvall. *Acta Orthop Scand* 1989;60(Suppl):34

- Nilsson KG, Kärrholm J. Increased subsidence of stemmed cementless Tricon-M knee prostheses. Roentgen stereophotogrammetric analysis of cemented vs uncemented tibial components. *Am J Knee Surg* 1992;5(4):174-183
- Nilsson KG, Kärrholm J, Linder L. Micromotion of the femoral component in Miller-Galante knee arthroplasty. Cemented vs. cementless fixation. *J Orthop Res.* 1995;13:347-56.
- Nilsson KG, Cajander S, Kärrholm J. Early failure of hydroxyapatite-coating in total hip arthroplasty. Case report. *Acta Orthop Scand.* 1994;65(2):212-14.
- Nilsson KG, Kärrholm J, Carlsson L, Dalén T. Hydroxyapatite coating versus cemented fixation of the tibial component in total knee arthroplasty. Prospective randomized comparison of hydroxyapatite-coated and cemented tibial components with 5-year follow-up using radiostereometry. *J of Arthroplasty* 1999;14(1):9-20.
- Regner L, Carlsson L, Kärrholm J, Herberts P. Ceramic coating improves tibial component fixation in total knee arthroplasty. *J Arthroplasty* 1998 Dec;13(8):882-9
- Regner L, Carlsson L, Kärrholm J, Herberts P. Tibial component fixation in porous- and hydroxyapatite-coated total knee arthroplasty: a radiostereometric evaluation of migration and inducible displacement after 5 years. *J Arthroplasty* 2000 Sep;15(6):681-9
- Ryd L. Micromotion in knee arthroplasty. A roentgen stereophotogrammetric analysis of tibial component fixation. *Acta Orthop Scand* 1986;57(Suppl 220):1-80.
- Ryd L. Roentgen Stereophotogrammetric analysis of prosthetic fixation in the hip and knee joint. *Clin Orthop* 1992;(276):56-65
- Ryd L. The role of roentgen stereophotogrammetric analysis (RSA) in knee surgery. *AM J Knee Surg.* 1992;5(1):44-54.
- Ryd L, Boegård T, Egund N, Lindstrand A, Selvik G, Thorngren K G. Migration of the tibial component in successful unicompartmental knee arthroplasty. A clinical, radiographic and roentgen-stereophotogrammetric study. *Acta Orthop Scand* 1983;54(3):408-16.
- Ryd L, Carlsson L, Herberts P,. Micromotion of the MILLER-GALANTE tibial component. An in-vivo roentgen stereophotogrammetric study. *Clin Orthop*, 1993;295:218-225
- Ryd L,, Egund N. Subsidence of tibial components in knee arthroplasty. A comparison between conventional radiography and roentgen stereophotogrammetry. *Invest Radiol* 1995;30(4):396-400
- Ryd L, Lindstrand A, Rosenquist R, Selvik G. Tibial component fixation in knee arthroplasty. An in vivo roentgen stereophotogrammetric study of cemented metal backed devices. *Clin Orthop.* 1986;213:141-149.
- Ryd L, Lindstrand A, Rosenquist R, Selvik G. Micromotion of all-polyethylene prosthetic components in total knee replacements. A stereophotogrammetric analysis of migration and inducible displacements. *Arch Orthop Trauma Surg* 1987a;106:82-88
- Ryd L, Lindstrand A, Stenström A, Selvik G. PCA tricompartmental tibial components: relation between position and micromotion. *Clin Orthop.* 1990;251:189-197.
- Ryd L, Lindstrand A, Stenström A, Selvik G. Cold-flow of unicompartmental tibial components. *Acta Orthop Scand* 1990a;61(1):21-25
- Ryd L, Albrektsson BEJ, Herberts P, Lindstrand A, Selvik G. Micromotion of non-cemented Freeman-Samuelson knee prostheses in Gonarthrosis. A roentgen stereophotogrammetric analysis of eight successful cases. *Clin Orthop* 1988;229:205-212

- Ryd L, Albrektsson BEJ, Carlsson L, Herberts P, Lindstrand A, Regnér L, Dansgaard F, Toksvig-Larsen S. Roentgenstereophotogrammetric Analysis (RSA) as a predictor of mechanical loosening. *J Bone Joint Surg*, 1995;77-B(3):377-383
- Ryd L. Roentgen stereophotogrammetric analysis of prosthetic fixation in the hip and knee joint. *Clin Orthop* 1992;(276):56-65.
- Ryd L, Toksvig-Larsen. Early postoperative fixation of tibial components: An in vivo roentgen stereophotogrammetric analysis. *J. Orthop. Res* 1993;11:142-8.
- Saari T, Uvehammer J, Carlsson LV, Herberts P, Regner L, Kärrholm J. Kinematics of three variations of the Freeman-Samuelson total knee prosthesis. *Clin Orthop*. 2003 May;(410):235-47.
- Toksvig-Larsen S, Ryd L, Lindstrand A. Fixation of the tibial component in knee arthroplasty after six weeks. *Int Orthop SICOT* 1995;19:89-93.
- Toksvig-Larsen S, Magyar G, Önsten I, Ryd L, Lindstrand A. Fixation of the tibial component of total knee arthroplasty after high tibial osteotomy. *J Bone Joint Surg* 1998;80-B:295-297.
- Toksvig-Larsen S, Ryd L, Lindstrand A. Early inducible displacement of tibial components in total knee prostheses inserted with and without cement: a randomized study with roentgen stereophotogrammetric analysis. *J Bone Joint Surg Am* 1998 Jan;80(1):83-9
- Uvehammer J, Regner L, Kärrholm J. Flat vs. concave tibial joint surface in total knee arthroplasty: randomised evaluation of 39 cases using radiostereometry. *Acta Orthop Scand*. 2001 Jun;72(3):257-65.
- Uvehammer J, Kärrholm J, Regner L, Carlsson L, Herberts P. Concave versus posterior-stabilized tibial joint surface in total knee arthroplasty: randomized evaluation of 47 knees. *J Arthroplasty*. 2001 Jan;16(1):25-32.
- Uvehammer J, Kärrholm J. Inducible displacements of cemented tibial components during weight-bearing and knee extension observations during dynamic radiostereometry related to joint positions and 2 years history of migration in 16 TKR. *J Orthop Res*. 2001 Nov;19(6):1168-77.
- Uvehammer J. Knee joint kinematics, fixation and function related to joint area design in total knee arthroplasty. *Acta Orthop Scand Suppl*. 2001 Feb;72(299):1-52.
- van Loon CJ, Kyriazopoulos A, Verdonschot N, de Waal Malefijt MC, Huiskes R, Buma P. The role of femoral stem extension in total knee arthroplasty. *Clin Orthop*. 2000 Sep;(378):282-9.
- Önsten I, Nordqvist A, Carlsson ÅS, Besjakov J, Shott S. Hydroxyapatite augmentation of the porous coating improves fixation of tibial component. *J Bone Joint Surg* 1998;80-B:417-425.

Shoulder

- Jonsson E, Mjöberg B, Rydholm U, Selvik G, Lidgren L. Humeral cup fixation in rheumatoid shoulders. Roentgen stereophotogrammetry of 12 cases. *Acta Orthop Scand* 1990;61(2):116-119.

PELVIS

Egund N, Olsson T H, Schmid H, Selvik G. Movements in the sacroiliac joints demonstrated with roentgen-stereophotogrammetry. *Acta Radiol (Diagn) (Stockh)* 1978;19(5):833-46.

Stureson B, Selvik G, Udén A. Movements of the sacroiliac joints. A roentgen-stereophotogrammetric analysis (Abstract). *Acta Orthop Scand* 1988;59(Suppl 227):89.

Tullberg T, Blomberg S, Branth B, Johnsson R. Manipulation does not alter the position of the sacroiliac joint. A roentgen stereophotogrammetric analysis. *Spine* 1998 May 15;23(10):1124-8; discussion 1129

Walheim G G, Selvik G. Mobility of the pubic symphysis. In vivo measurements with an electromechanic method and a roentgen-stereophotogrammetric method. *Clin Orthop* 1984;(191):129-35.

SPINE

Axelsson P, Johnsson R, Strömquist B. Influence of lumbar orthrosis on intervertebral mobility. A roentgen stereophotogrammetric analysis. *Spine* 1992;17(6):678-81

Axelsson P, Johnsson R, Strömquist B. Lumbar orthrosis with unilateral hip immobilization. *Spine* 1993;18(7):876-879

Axelsson P, Johnsson R, Strömquist B, Arvidsson M, Herrlin K. Posterolateral lumbar fusion. Clinical and radiographic results of 71 consecutive operations. *Acta Orthop Scand* 1994;65(3):309-314.

Axelsson P, Johnsson R, Strömquist B. Mechanics of the external fixator test in the lumbar spine. A roentgen stereophotogrammetric analysis. *Spine* 1996;21(3):330-333.

Axelsson P, Johnsson R, Stromqvist B. Is there increased intervertebral mobility in isthmie adult spondylolisthesis? A matched comparative study using roentgen stereophotogrammetry. *Spine*. 2000 Jul 1;25(13):1701-3.

Gunnarsson G, Axelsson P, Johnsson R, Stromqvist B. A method to evaluate the in vivo behaviour of lumbar spine implants. *Eur Spine J*. 2000 Jun;9(3):230-4.

Johnsson R, Selvik G, Strömquist B, Sundén G. Mobility of the lower lumbar spine after posterolateral fusion determined by roentgen stereophotogrammetric analysis. *Spine* 1990;15(5):347-350.

Johnsson R, Strömquist B, Axelsson P, Selvik G: Influence of spinal immobilization on consolidation of posterolateral lumbosacral fusion. *Spine* 1992;17(1):16-21.

Johnsson R, Axelsson P, Gunnarsson G, Stromqvist B Stability of lumbar fusion with transpedicular fixation determined by roentgen stereophotogrammetric analysis. *Spine* 1999 Apr 1;24(7):687-90

Johnsson R, Strömquist B, Aspenberg P. Randomized radiostereometric study comparing osteogenic protein-1 (BMP-7) and autograft bone in human noninstrumented posterolateral lumbar fusion: 2002 Volvo Award in clinical studies *Spine*. 2002 Dec 1;27(23):2654-61.

Olsson T H, Selvik G, Willner S. Vertebral motion in spondylolisthesis. *Acta Radiol (Diagn) (Stockh)* 1976;17(6):861-8.

- Olsson T H, Selvik G, Willner S. Kinematic analysis of posterolateral fusion in the lumbosacral spine. *Acta Radiol (Diagn) (Stockh)* 1976;17(49):519-30.
- Olsson T H, Selvik G, Willner S. Postoperative kinematics in structural scoliosis. *Acta Radiol (Diagn) (Stockh)* 1977;18(1):75-86.
- Olsson T H, Selvik G, Willner S. Mobility in the lumbosacral spine after fusion studied with the aid of roentgen-stereophotogrammetry. *Clin Orthop* 1977;(129):181-90.
- Pape D, Adam F, Fritsch E, Muller K, Kohn D. Primary lumbosacral stability after open posterior and endoscopic anterior fusion with interbody implants: a roentgen stereophotogrammetric analysis. *Spine*. 2000 Oct 1;25(19):2514-8.
- Pape D, Fritsch E, Kelm J, Muller K, Georg T, Kohn D, Adam F. Lumbosacral stability of consolidated anteroposterior fusion after instrumentation removal determined by roentgen stereophotogrammetric analysis and direct surgical exploration. *Spine*. 2002 Feb 1;27(3):269-74.
- Zoëga B, Kärrholm J, Lind B. One-level cervical spine fusion. A randomized study, with or without plate fixation, using radiostereometry in 27 patients. *Acta Orthop Scand*. 1998;69(4):363-368.
- Zoëga B, Kärrholm J, Lind B. Plate fixation adds stability to two-level anterior fusion in the cervical spine: a randomized study using radiostereometry. *European Spine Journal*. 1998;(7):302-307